

## **REFERENCES**

## REFERENCES

- Abdel-Azeem A., Azeem, M.A., Khalil, W. (2019). Endophytic Fungi as a New Source of Antirheumatoid Metabolites. In: Bioactive Food as Dietary Interventions for Arthritis and Related Inflammatory Diseases (2<sup>nd</sup> ed). Academic Press Elsevier Inc., pp 335-384.
- Abdel-Rhman, S.H., El-Mahdy, A.F., El-Mowafy, M. (2015). Effect of Tyrosol and Farnesol on Virulence and Antibiotic Resistance of Clinical Isolates of *Pseudomonas aeruginosa*. *BioMed Research International*, **2015**:456463.
- Ahmed, M., Hussain, M., Dhar, M. K., Kaul, S. (2012). Isolation of microbial endophytes from some ethnomedicinal plants of Jammu and Kashmir. *Journal of Natural Product and Plant Resource*, **2**:215-220.
- Al-Wathnani, H., Ara, I., Tahmaz, R. R., Al-Dayel, T. H., Bakir, M. A. (2012). Bioactivity of natural compounds isolated from cyanobacteria and green algae against human pathogenic bacteria and yeast. *Journal of Medicinal Plants Research*, **6(18)**: 3425-3433.
- Andolfi, A., Maddau, L., Cimmino, A., Linaldeddu, B.T., Franceschini, A., Serra, S., Basso, S., Melck, D., Evidente, A. (2012). Cyclobotryoxide, a phytotoxic metabolite produced by the plurivorous pathogen *Neofusicoccum australe*. *Journal of Natural Products*, **75(10)**:1785-1791.
- Andrade, J.T., Alves, S.L.G., Lima, W.G. *et al.* (2020). Pharmacologic potential of new nitro-compounds as antimicrobial agents against nosocomial pathogens: design, synthesis, and in vitro effectiveness. *Folia Microbiologica*, **65**:393-405.

- Anisha, C. and Radhakrishnan, E.K. (2017). Metabolite analysis of endophytic fungi from cultivars of *Zingiber officinale* Rosc. identifies myriad of bioactive compounds including tyrosol. *3 Biotech*, **7**:146.
- Aparna, V., Dileep, K.V., Mandal, P.K., Karthe, P., Sadasivan, C., Haridas, M. (2012). Anti-inflammatory property of n-hexadecanoic acid: structural evidence and kinetic assessment. *Chemical Biology & Drug Design*, **80(3)**:434-439.
- Arivudainambi, U.S.E, Anand, T.D., Shanmugaiah, V., Karunakaran, C., Rajendran, A. (2011). Novel bioactive metabolites producing endophytic fungus *Colletotrichum gloeosporioides* against multidrug-resistant *Staphylococcus aureus*. *FEMS Immunology & Medical Microbiology*, **61(3)**:340-345.
- Arnold, A. E., Lutzoni, F. (2007). Diversity and host range of foliar fungal endophytes: are tropical leaves biodiversity hotspots? *Ecology*, **88(3)**:541-549.
- Bacon, C.W, White, J. (2000). Microbial endophytes (1st ed.). CRC Press.
- Barnett, H.L., Hunter, B.B. (1996). Illustrated genera of imperfect fungi. APS Press, St. Paul, Minnesota, USA.
- Bentley, R. (2000). Mycophenolic acid: a one hundred year odyssey from antibiotic to immunosuppressant. *Chemical Reviews*, **100(10)**:380-3826.
- Bernhart, S.H., Hofacker, I.L., Will, S., Gruber, A.R., Stadler, P.F. (2008). RNAalifold: Improved consensus structure prediction for RNA alignments. *BMC Bioinformatics*, **9**:474.
- Bhagobaty, R.K, Joshi, S.R. (2012). Enzymatic Activity of Fungi Endophytic on Five Medicinal Plant Species of the Pristine Sacred Forests of Meghalaya, India. *Biotechnology and Bioprocess Engineering*, **15**:33-40.

- Bhattacharyya, P., Jha, D. (2011). Optimization of cultural conditions affecting growth and improved bioactive metabolite production by a subsurface *Aspergillus* strain tsf 146. *International Journal of Applied Biology and Pharmaceutical Technology*, **2(4)**: 133-143.
- Biswal, R.A., Sharma, A., Aishwariya, A., Pazhamalai, V. (2020). Molecular docking and admet studies of bioactive compounds of *Rhizophora mucornata* against bacterial enzyme protein tyrosine phosphatase. *International Journal of Pharmaceutical Sciences and Research*, **11(4)**:1635-42.
- Bungihan, M.E., Tan, M.A., & Kitajima, M., Kogure, N., Franzblau, S.G., Cruz, T. E. D & Takayama, H., & Nonato, M. (2011). Bioactive metabolites of *Diaporthe* sp. P133, an endophytic fungus isolated from *Pandanus amaryllifolius*. *Journal of natural medicines*, **65**:606-609.
- Buragohain J., Konwar, B.K., Bordoloi, M.J. (2011). Isolation of an antimicrobial compounds from the tender shoots of *Zanthoxylum*. *Der Pharmacia Sinicia*, **2(6)**:149.
- Capasso, R., Cristinzio, G., Evidente, A., Scognamiglio, F. (1992). Isolation, spectroscopy and selective phytotoxic effects of polyphenols from vegetable waste waters. *Phytochemistry*, **31**:4125-4128.
- Casadey, R., Challier, C., Altamirano, M., Spesia, M.B., Criado, S. (2020). Antioxidant and antimicrobial properties of tyrosol and derivative-compounds in the presence of vitamin B2. Assays of synergistic antioxidant effect with commercial food additives. *Food Chemistry*, **335**:127576.

- Chang, A., Sun, S., Li, L., Dai, X., Li, H., He, Q., Zhu, H. (2019). Tyrosol from marine fungi, a novel Quorum sensing inhibitor against *Chromobacterium violaceum* and *Pseudomonas aeruginosa*. *Bioorganic Chemistry*, **91**:103140.
- Chattopadhyay, A. (2014). Anticancer activity of endophytic fungi associated with *Potentilla fulgens* L.; An ethnomedicinal plant of Northeast India. *Natural Products Chemistry and Research*, **2(5)**:158.
- Chen, J., Hu, K.X., Hou, X.Q., Guo, S.X. et al. (2011). Endophytic fungi assemblages from 10 *Dendrobium* medicinal plants (Orchidaceae). *World Journal of Microbiology and Biotechnology*, **27(5)**:1009-1016.
- Cimmino, A., Cinelli, T., Masi, M., Reveglia, P., da Silva, M. A., Mugnai, L., Evidente A. (2017). Phytotoxic lipophilic metabolites produced by grapevine strains of *Lasiodiplodia* species in Brazil. *Journal of Agricultural and Food Chemistry*, **65**:1102-1107.
- Cimmino, A., Nocera, P., Linaldeddu, B.T., Masi, M., Gorecki, M., Pescitelli, G., Montecchio, L., Maddau, L., Evidente, A. (2018). Phytotoxic metabolites produced by *Diaporthella cryptica*, the causal agent of hazelnut branch canker. *Journal of Agricultural and Food Chemistry*, **66**:3435-3442.
- Clarke, J.D. (2009). Cetyltrimethyl ammonium bromide (CTAB) DNA miniprep for plant DNA isolation. CSHL Press, Cold Spring Harbor Protocols, Vol. 4(3), pp-1-2.
- Clay, K., Schardl, C. (2002). Evolutionary Origins and Ecological Consequences of Endophyte Symbiosis with Grasses. *The American naturalist*, **160(4(s4))**:S99-S127.
- Clay, K., Holah, J., Rudgers, J.A. (2005). Herbivores cause a rapid increase in hereditary symbiosis and alter plant community composition. *PNAS*, **102(35)**:12465-12470.

- Daisy, B., Strobel, G.A., Castillo, U., Ezra, D., Sears, J., Weaver, D., Runyon, J.B. (2002a) Naphthalene, an insect repellent, is produced by *Muscodor vitigenus*, a novel endophytic fungus. *Microbiology*, **148**:3737-3741.
- Daisy, B., Strobel, G.A., Ezra, D., Castillo, U., Baird, G., Hess, W.M. (2002b). *Muscodor vitigenus* anam. sp. nov., an endophyte from *Paullinia paullinioides*. *Mycotaxon*, **84**:39-50.
- Damm, U., Johnston, P.R., Weir BS. (2012). The *Colletotrichum gloeosporioides* species complex. *Studies in Mycology*, **73**:115-180.
- Dayle, E.S., Polans, N.O., Paul, D.S., Melvin, R.D. (2001). Angiosperm DNA contamination by endophytic fungi: Detection and Methods of avoidance. *Plant Molecular Biology Reporter*, **19**:249-260.
- De Bary, A. (1866). Morphologie und Physiologie der Pilze, Flechten, und Myxomyceten. In: Hofmeister's Handbook of physiological Botany, Vol. 2, Leipzig.
- De Los Reyes, M.M., Oyong, G.G., Ebajo, Jr.V.D., Ng, V.A.S., Shen, C.C., Ragasa, C.Y. (2015). Cytotoxic Triterpenes and Sterols from *Pipturus arborescens* (Link) C.B. Rob. *Journal of Applied Pharmaceutical Science*, **5(11)**:23-30.
- Deka, D., Jha, D. K. (2017). Antimicrobial Activity of Endophytic Fungi from Leaves and Barks of *Litsea cubeba* Pers., a Traditionally Important Medicinal Plant of North East India. *Jordan Journal of Biological Sciences*, **11(1)**:73-79.
- Deka, D., Jha, D. K. (2020). Bioactivity assessment of endophytic fungi associated with *Citrus macroptera* Montr. :an endangered ethnomedicinal plant used in folk medicines in North-East India. *Indian Phytopathology*, **73**: 21-33.

- Deka, D., Tayung, K., Jha, D. (2017). Harnessing Fungal Endophytes for Plant and Human Health, In: Endophytes: Biology and Biotechnology, pp.59-98.
- Derengowski, L.S., De Souza, S.C., Braz, S.V., Sousa, T.M., Bão, S.N., Kyaw, C.M., Silva-Pereira, I. (2009). Antimicrobial effect of farnesol, a *Candida albicans* quorum sensing molecule, on *Paracoccidioides brasiliensis* growth and morphogenesis. *Annals of Clinical Microbiology and Antimicrobials*, **8(13)**:1-9.
- Deshmukh, S.K., Mishra, P.D., Kulkarni-Almeida, A., Verekar, S., Sahoo M.R., Periyasamy, G., Goswami, H., Khanna, A., Balakrishnan, A., Vishwakarma, R. (2009). Anti-inflammatory and anticancer activity of ergoflavin isolated from an endophytic fungus. *Chemistry and Biodiversity*, **6(5)**:784-789.
- Devarajan, P.T., Suryanarayanan, T.S. (2006). Evidence for the role of phytophagous insects in dispersal of nongrass fungal endophytes. *Fungal Diversity*, **23**:111-119.
- Devi, P., Rodrigues, C., Naik, C. G., D'Souza, L. (2012). Isolation and Characterization of Antibacterial Compound from a Mangrove-Endophytic Fungus, *Penicillium chrysogenum* MTCC 5108. *Indian journal of microbiology*, **52(4)**:617-623.
- Devi, R., Serfoji, P. (2018). Gcms Analysis of Bioactive Compounds in Ethyl Acetate Extract of Earthworm Gut *Streptomyces fulvissimus* (Jenson, 1930). *International Journal of Pharmacy and Biological Sciences*, **8(4)**:200-205.
- Dreyfuss, M.M. and Chapela, I.H. (1994). Potential of fungi in discovery of novel low molecular weight pharmaceuticals. In: Gullo V.P. (ed.) The discovery of Natural Products with Therapeutic Potential. Butterworth-Heinemann, London, UK, pp 49-80.

- Dudeja, S.S., Giri, R. (2014). Beneficial properties, colonization, establishment and molecular diversity of endophytic bacteria in legume and non-legume. *African Journal of Microbiology Research*, **8**:1562-1572.
- Evidente, A., Punzo, B., Andolfi, A., Cimmino, A., Melck, D., Luque, J. (2010). Lipophilic phytotoxins produced by *Neofusicoccum parvum*, a grapevine canker agent. *Phytopathologia Mediterranea*, **49**:74-79.
- Faeth, S.H, Fagan, W.F. (2002). Fungal Endophytes: Common Host Plant Symbionts but Uncommon Mutualists. *Integrative and comparative biology*, **42**:360-8.
- Gamboa-Angulo, M.M., Garcíá-Sosa, K., Alejos-González, F., Escalante-Erosa, F., Delgado-Lamas, G., Peña-Rodríguez, L.M. (2001). Tagetolone and tagetenolone: two phytotoxic polyketides from *Alternaria tagetica*. *Journal of Agricultural and Food Chemistry*, **49**:1228-1232.
- Garba, S., Shoge, M., Labaran, S. (2016). Antimicrobial activity of 1,2-benzenedicarboxylic acid, butyldecyl ester isolated from the seeds and pods of *Acacia nilotica* Linn. *Journal of Pharmaceutical Care and Health Systems*, **3**:2.
- Garcia, M.M., Saenz, M., Gomez, N., Fernandez, M. (1999). Topical anti-inflammatory activity of phytosterols isolated from *Eryngium foetidum* on chronic and acute inflammation models. *Phytotherapy Research*, **13(1)**:78-80.
- Gasong, B.T., Tjandrawinata, R.R. (2016). Production of secondary metabolite E2.2 from *Phaleria macrocarpa* endophytic fungus. *Asian Pacific Journal of Tropical Biomedicine*, **6(10)**:881-885.
- Gilman, J.C. (1971). A Manual of Soil Fungi. 2nd ed. Iowa (USA): Iowa State College Press.

- Gogoi, D.K., Boruah, H.P.D., Saikia, R., Bora, T.C. (2008). Optimization of process parameters for improved production of bioactive metabolite by a novel endophytic fungus *Fusarium* sp. DF2 isolated from *Taxus wallichiana* of North East India. *World Journal of Microbiology and Biotechnology*, **24**(1):79-87.
- Gouda, S., Das, G., Sen, S.K., Shin, H.S., Patra J.K. (2016). Endophytes: A Treasure House of Bioactive Compounds of Medicinal Importance. *Frontiers of Microbiology*, **7**:1538.
- Gunatilaka, A.A.L. (2006). Natural products from plant-associated microorganisms: Distribution, structural diversity, bioactivity and implications of their occurrence. *Journal of Natural Products*, **69**:509-526.
- Guo, B., Dai, J.R., Ng, S.B., Huang, Y., Leong, C., Ong, W., Carte, B. (2000). Cytonic Acids A and B: Novel Tridepside Inhibitors of hCMV Protease from the Endophytic Fungus Cytonaema Species. *Journal of natural products*, **63**:602-604.
- Guo, B., Wang, Y., Sun, X., Tang, K. (2008). Bioactive natural products from endophytes: A review. *Applied Biochemistry and Microbiology*, **44**:136-142.
- Gupte, M.D., Kulkarni, P.R. (2002). A study of antifungal antibiotic production by *Streptomyces chattanoogensis* MTCC 3423 using full factorial design. *Letters in Applied Microbiology*, **35**:22-26.
- Hallmann, J., von Quadt, A., Rodriguez, K.R., Kloepper, J. (1997). Interactions between *Meloidogyne incognita* and endophytic bacteria in cotton and cucumber. *Journal of Soil Biology and Biochemistry*, **30**:925-937.
- Harper, J.K., Arif, A.M., Ford, E.J., Strobel, G.A., Porco, J.A., Tomer, D.P., Oneill, K.L., Heider, E.M., Grant, D.M. (2003). Pestacin: a 1,3-dihydro isobenzofuran

- from *Pestalotiopsis microspora* possessing antioxidant and antimycotics activities. *Tetrahedron*, **59**:2471-2476.
- Hartley, S.E., Gange, A.C. (2009). Impacts of Plant Symbiotic Fungi on Insect Herbivores: Mutualism in a Multitrophic Context. *Annual Review of Entomology*, **54**:323-342.
- Hata, F., Futai, K. (1995). Endophytic fungi associated with healthy pine needles and needles infested by pine needle gall midge *Thecodiplosis japonensis*. *Canadian Journal of Botany*, **73**:384-390.
- Hata, K., Sone, K. (2008). Isolation of endophytes from leaves of *Neolitsea sericea* in broad leaf and conifer stands. *Mycoscience*, **49**:229-232.
- Heeg, J.S. ,Wolf, M. (2015). ITS2 and 18S rDNA sequence-structure phylogeny of Chlorella and allies (Chlorophyta, Trebouxiophyceae, Chlorellaceae). *Plant Gene*, **4**:20-28.
- Hegge, A., Lønborg, R., Nielsen, D.M., Sørensen, J.L. (2015). Factors Influencing Production of Fusaristatin A in *Fusarium graminearum*. *Metabolites*, **5(2)**:184-91.
- Hemtasin, C., Kanokmedhakul, S., Kanokmedhakul, K., Hahnvajanawong, C., Soytong, K., Prabpai, S., Kongsaeree, P. (2011). Cytotoxic Pentacyclic and tetracyclic aromatic sesquiterpenes from *Phomopsis archeri*. *Journal of Natural Products*, **74(4)**:609-613.
- Huang, X., Madan, A. (1999). CAP3: A DNA sequence assembly program. *Genome research*, **9(9)**:868-877.

Huang, X.Z., Zhu, Y., Guan, X.L., Tian, K., Guo, J.M., Wang, H.B., Fu, G.M. (2012). A novel antioxidant isobenzofuranone derivative from fungus *Cephalosporium* sp. AL031. *Molecules*, **17**:4219-4224.

Huang, Y., Wang, J., Li, G., Zheng, Z., Su, W. (2001). Antitumor and antifungal activities in endophytic fungi isolated from pharmaceutical plants *Taxus mairei*, *Cephalotaxus fortunei* and *Torreya grandis*. *FEMS Immunology and Medical Microbiology*, **31**:163-167.

Huang, Z., Cai, X., Shao, C., She, Z., Xia, X., Chen, Y., Yang, J., Zhou, S., Lin, Y. (2008). Chemistry and weak antimicrobial activities of Phomopsins produced by mangrove endophytic fungus *Phomopsis* sp. ZSU-H76. *Phytochemistry*, **69**(7):1604-1608.

Hutter, R. (1982). Design of culture media capable of provoking wide gene expression. In: Bullock, Jd., Nisbet, L.J., Winstanley, D.J. (eds) Bioactive microbial products: Search and Discovery. Academic Press, London, pp 37-50.

Jalgaonwala, R.E., Mohite, B.V., Mahajan, R.T. (2011). Natural products from plant associated endophytic fungi. *Journal of Microbiology and Biotechnology Research*, **1**:21-32.

Jena, S.K., Tayung, K. (2013). Endophytic fungal communities associated with two ethno-medicinal plants of Simlipal Biosphere Reserve, India and their antimicrobial prospective. *Journal of Applied Pharmaceutical Science*, **3(4 Suppl 1)**:S7-S12.

Jiang, L., Wang, W., He, Q., Wu, Y., Lu, Z., Sun, J., Liu, Z., Shao, Y., Wang, A. (2017). Oleic acid induces apoptosis and autophagy in the treatment of Tongue Squamous cell carcinomas. *Scientific Reports*, **7**:11277.

Joseph, B., Priya, R. M. (2011). Bioactive compounds from endophytes and their potential in pharmaceutical effect: a review. *American Journal of Biochemistry and Molecular Biology*, **1**: 2910-309.

Kaul, S., Gupta, S., Ahmed, M., Dhar, M.K. (2012). Endophytic fungi from medicinal plants: A treasure hunt for bioactive metabolites. *Phytochemistry Reviews*, **11(4)**:487-505.

Kaur, N., Arora, D.S. (2020). Prospecting the antimicrobial and antibiofilm potential of *Chaetomium globosum* an endophytic fungus from *Moringa oleifera*. *AMB Express*, **10**:206 (2020).

Kaur, T. (2020). Fungal Endophyte-Host Plant Interactions: Role in Sustainable Agriculture. In: Sustainable Crop Production. IntechOpen.

Khan, A.L., Hussain, J., Al-Harrasi, A., Al- Rawahi, A., Lee, I.J. (2013). Endophytic fungi: a source of gibberellins and crop resistance to abiotic stress. *Critical Reviews in Biotechnology*, **35**(1):1-13.

Khan, R., Shahzad, S., Choudhary, M.I., Khan, S.A, Ahmad, A. (2010). Communities of Endophytic Fungi in Medicinal Plant *Withania Somnifera*. *Pakistan Journal of Botany*, **42(2)**:1281-1287.

Kharwar, R.N., Verma, V.C., Kumar, A., Gond, S.K., Harper, J.K., Hess, W.M., Lobkovosky, E., Ma, C., Ren, Y., Strobel, G.A. (2008). Javanicin, an antibacterial naphthaquinone from an endophytic fungus of neem, *Chloridium* sp. *Current Microbiology*, **58**:233-238.

Kim, H., Choi, M.S., Ji, Y.S., Kim, I.S., Kim, G.B., Bae, I.Y., Gye, M.C., Yoo, H.H. (2018). Pharmacokinetic Properties of Acetyl Tributyl Citrate, a Pharmaceutical Excipient. *Pharmaceutics*, **10(4)**:177.

Knop, M., Pacyna, S., Voloshchuk, N., Kjant, S., Müllenborn, C., Steiner, U., Kirchmair, M., Scherer, H.W., Schulz, M. (2007). Zea mays: Benzoxalinone Detoxification under sulfur deficiency conditions- A complex allelopathic alliance including endophytic *Fusarium verticillioides*. *Journal of Chemical Ecology*, **33(2)**:225-237.

Kobayashi, H., Sunaga, R., Furihata, K., Morisaki, N., Iwasaki, S. (1995). Isolation and structures of an antifungal antibiotic, fusarielin A, and related compounds produced by a *Fusarium* sp. *Journal of Antibiotics (Tokyo)*, **48(1)**:42-52.

Kobayashi, S., Hamashima, H., Hirose, K., Shiraishi, A., Hada, T., Inoue, Y. (2005). Biphasic Effects of Geranylgeraniol, Teprenone, and Phytol on the Growth of *Staphylococcus aureus*. *Antimicrobial Agents and Chemistry*, **49(5)**:1770-1774.

Korpi, A., Jarnberg, J., Pasanen, A.L. (2009). Microbial volatile organic compounds. *Critical Reviews in Toxicology*, **39**:139-193.

Krishnamurthy, Y.L., Naik, S.B., Jayaram, S. (2008). Fungal communities in herbaceous medicinal plants from the malnad region, Southern India. *Microbes and Environments*, **23(1)**:24-28.

Kumar, D.S.S., Lau, C.S., Wan, J.M.F., Yang, D., Hyde, K.D. (2005). Immunomodulatory compounds from *Pestalotiopsis leucothes* (HKUCC 10197), an endophytic fungus of *Tripterygium wilfordii*. *Life Sciences*, **78**:147-156.

Kumar, M., Prasad, S. K., Hemalatha, S. (2014). A current update on the phytopharmacological aspects of *Houttuynia cordata* Thunb. *Pharmacognosy reviews*, **8(15)**:22-35.

Kusari, S., Singh, S., Jayabaskaran, C. (2014). Rethinking production of Taxol (paclitaxel) using endophyte biotechnology. *Trends in Biotechnology*, **32(6)**:304-311.

Kusari, S., Zühlke, S., Spiteller, M. (2009b). An endophytic fungus from *Camptotheca acuminata* that produces camptothecin and analogues. *Journal of Natural Products*, **72**:2-7.

Lam, K.S. (2007). New aspects of natural products in drug discovery. *Trends in Microbiology*, **15**:279-289.

Larsen, T.O., Smedsgaard, J., Nielsen, K.F., Hansen, M.E., Frisvad, J.C. (2005) Phenotypic taxonomy and metabolite profiling in microbial drug discovery. *Natural Product Reports*, **22(6)**:672-695.

Lee, J., Lobkovsky, E., Pliam, N.B., Strobel, G.A., Clardy, J. (1995). Subglutinols A and B: immunosuppressive compounds from the endophytic fungus *Fusarium subglutinans*. *The Journal of Organic Chemistry*, **60**:7076-7077.

Lee, J.C., Strobel, G.A., Lobkovsky, E., Clardy, J. (1996). Torreyanic acid: a selectively cytotoxic quinone dimer from the endophytic fungus *Pestalotiopsis microspora*. *The Journal of Organic Chemistry*, **61(10)**:3232-3233.

Lenta, B.N., Ngatchou, J., Frese, M., Ladoh-Yemeda, F., Voundi, S., Nardella, F., Michalek, C., Wibberg, D., Ngouela, S., Tsamo, E., Kaiser, M., Kalinowski, J. and Sewald, N. (2016) Purpureone, an antileishmanial ergochrome from the endophytic fungus *Purpureocillium lilacinum* *Zeitschrift für Naturforschung B*, **71(11)**:1159-1167.

Lewis, F.J. (1924). An endotrophic fungus in the Coniferae. *Nature*, **114**:860.

- Liang, M., Qi, M., Zhang, C., Zhou, S., Fu, R., Huang, J. (2005). Gas chromatography-mass spectrometry analysis of volatile compounds from *Houttuynia cordata* Thunb after extraction by solid-phase microextraction, flash evaporation and steam distillation. *Analytica Chimica Acta*, **531**:97-104.
- Lin, X., Haung, Y., Fang, M., Wang, J., Zheng, Z., Su, W. (2005). Cytotoxic and antimicrobial metabolites from marine lignicolous fungi, *Diaporthe* sp. *FEMS Microbiology Letters*, **251**:53-58.
- Liu, J.Y., Song, Y.C., Zhang, Z., Wang, L., Guo, Z.J., Zou, W.X., Tan, R.X. (2004). *Aspergillus fumigatus* CY018, an endophytic fungus in *Cynodon dactylon* as a versatile producer of new and bioactive metabolites. *Journal of Biotechnology*, **114**:279-287.
- Liu, X., Dong, M., Chen, X. & Jiang, M., Lv, X., Yan, G. (2007). Antioxidant activity and phenolics of an endophytic *Xylaria* sp. from *Ginkgo biloba*. *Food Chemistry*, **105**:548-554.
- Liu, X., Dong, M., Chen, X., Jiang, M., Lv, X., Zhou, J. (2008). Antimicrobial activity of an endophytic *Xylaria* sp. YX-28 and identification of its antimicrobial compound 7-amino-4-methylcoumarin. *Applied Microbiology and Biotechnology*, **78**:241–247.
- Malinowski, M.P., Belesky, D.P., Lewis, G.C. (2005). Abiotic stresses in endophytic grasses. In: Roberts, C., West, C.P., Spiers, D.E. (eds) *Neotyphodium* in cool-season grasses. Blackwell publishing, Ames, Ohio, pp. 187-199.
- Marinho, M.A.T., Junqueira, A.C.M., Azeredo-Espin, A.M.L. (2011). Evaluation of the internal transcribed spacer 2 (ITS2) as a molecular marker for phylogenetic

inference using sequence and secondary structure information in blow flies (Diptera: Calliphoridae). *Genetica*, **139**:1189-207.

Masi, M., Maddau, L., Linaldeddu, B. T., Scanu, B., Evidente, A., Cimmino, A. (2018).

Bioactive metabolites from pathogenic and endophytic fungi of forest trees. *Current Medicinal Chemistry*, **25**:208-252.

Mayer, A.M.S., Rodriguez, A.D., Berlinck, R.G.S., Fusetani, N. (2011). Marine pharmacology in 2007-8: marine compounds with antibacterial, anticoagulant, antifungal, antiinfl ammatory, antimalarial, antiprotozoal, antituberculosis, and antiviral activities; affecting the immune and nervous system, and other miscellaneous mechanisms of action. *Comparative Biochemistry and Physiology - Part C: Toxicology & Pharmacology*, **153**:191-222.

Mbosso, E.J., Ngouela, S., Nguedia, J.C., Beng, V.P., Rohmer, M., Tsamo, E. (2010). In vitro antimicrobial activity of extracts and compounds of some selected medicinal plants from Cameroon. *Journal of Ethnopharmacology*, **128**(2):476-81.

Medhi, K., Purohit, B.P., Gogoi, A.J., Saikia, S.P., Kanjilal, P.B., Bhau, B.S. (2009). Molecular marker based genetic diversity analysis of two economically important plants (*Zanthoxylum hamiltonianum* and *Nepenthes khasiana*) of North-East India. *Biodiversity in herbal medicine*. New Delhi: IQAC Synod College and Akansha Publishing House, pp 47-55.

Montana, M., Correard, F., Khoumeri, O., Esteve, M.A., Terme, T., Vanelle, P. (2014). Synthesis of New Quinoxalines Containing an Oxirane Ring by the TDAE Strategy and *in Vitro* Evaluation in Neuroblastoma Cell Lines. *Molecules*, **19**(9):14987-14998.

- Mujeeb, F., Bajpai, P., Pathak, N. (2014). Phytochemical Evaluation, Antimicrobial Activity, and Determination of Bioactive Components from Leaves of *Aegle marmelos*. *BioMed Research International*, **2014**:1-11.
- Naik, B.S., Shashikala, J., Krishnamurthy, Y. L. (2008). Diversity of fungal endophytes in shrubby medicinal plants of Malnad region, Western Ghats, Southern India. *Fungal Ecology*, **1(2-3)**:89-93.
- Nair, D.N., Padmavathy, S. (2014). Impact of endophytic microorganisms on plants, environment and humans. *Scientific World Journal*, **2014**:250693.
- Nalini, M., Ningaraju, S., Prakash, H.S. (2014). Endophytic Fungal Diversity in Medicinal Plants of Western Ghats, India. *International Journal of Biodiversity*, **2014**:1-9.
- Nataraj, K., Girisha, S.T., Raghavendra, V.B. (2020). Miracle plant *Eryngium foetidum* Linn- A review on Ethnobotanical, Phytochemical composition and Pharmacology. *International Journal of Advanced Science and Technology*, **29(2)**:1099-1115.
- Neto H.A., da Fonsêca, D.V., Braga, R.M., Scotti, M.T., Nascimento, T.W.A.B., Assis, D.B., et al. (2019). 2-Allylphenol Reduces IL-1 $\beta$  and TNF- $\alpha$ , Promoting Antinociception through Adenosinergic, Anti-Inflammatory, and Antioxidant Mechanisms. *Oxidative Medicine and Cellular Longevity*, **2019**, Article id-1346878:1-14.
- Nithya, K., Muthumary, J. (2010). Secondary metabolite from *Phomopsis* sp. isolated from *Plumeria acutifolia* Poiret. *Recent Research in Science and Technology*, **2(4)**:99-103.

- Packiaraj, R., Jeyakumar, S., Ayyappan, N., Adhirajan, N., Premkumar, G., Rajarathinam, K., Muthuramkumar, S. (2016). Antimicrobial and cytotoxic activities of endophytic fungus *Colletotrichum gloeosporioides* isolated from endemic tree *Cinnamomum malabatrum*. *Studies in Fungi*, **1(1)**:104-113.
- Padhi, S., Tayung, K. (2015). In vitro antimicrobial potentials of endolichenic fungi isolated from thalli of *Parmelia* lichen against some human pathogens, *Beni-Suef University Journal of Basic and Applied Sciences*, **4(4)**:299-306.
- Padhi, S., Panda, M.K., Das, D. Tayung, K. (2016). ITS2 RNA secondary structure analysis reveals close affinity between endophytic and pathogenic fungi: A case study in *Fusarium* species. *Annals of Microbiology*, **66**:625-633.
- Padhi, S., Tayung, K. (2013). Antimicrobial activity and molecular characterization of an endophytic fungus, *Quambalaria* sp. isolated from *Ipomoea carnea*. *Annals of Microbiology*, **63**:793-800.
- Padmavathi, A.R., Abinaya, B., Pandian, S. (2014). Phenol, 2,4-bis(1,1-dimethylethyl) of marine bacterial origin inhibits quorum sensing mediated biofilm formation in the uropathogen *Serratia marcescens*. *Biofouling*, **30(9)**:1111-1122.
- Parthasarathi, S., Sathya, S., Bupesh, G., Samy, D. R., Mohan, M. R., Selva, G. K. (2012). Isolation and characterization of antimicrobial compound from marine *Streptomyces hygroscopicus* BDUS 49. *World Journal of Fish and Marine Sciences*, **4**:268-277.
- Paul, J.H.A., Seaforth, C.E., Tikasingh, T. (2010). *Eryngium foetidum* L.: A review. *Fitoterapia*, **82**:302-8.
- Petrini, O. (1991). Fungal Endophyte of Tree Leaves. In: Andrews J., Hirano S.S. (eds.) *Microbial Ecology of Leaves*. Spring-Verlag, New York, pp 179-197.

- Petrini, O. 1986. Taxonomy of endophytic fungi of aerial plant tissues, in Fokkema, N.J., van den Heuvel, J. (eds), *Microbiology of the Phyllosphere*. Cambridge University Press, Cambridge, UK, pp. 175-187.
- Photita, W., Taylor, P.W.J., Ford, R., Lumyong, P., McKenzie, E.H.C., Hyde, K.D., Lumyong, S. (2005). Morphological and molecular characterization of *Colletotrichum* species from herbaceous plants of Thailand. *Fungal Diversity*, **18**:117-133.
- Pimentel, M.R., Molina, G., Dionisio, A. P., Maróstica, M.R., Pastore, G.M. (2011). Use of endophytes to obtain bioactive compounds and their application in biotransformation process. *Biotechnology Research International*, **2011**:576286.
- Plotnikov, M.B., Plotnikova, T.M. (2020). Tyrosol as a neuroprotector: strong effects of a "weak" antioxidant. *Current Neuropharmacology*, **19(4)**:434-448.
- Polizzi, V., Adamns, A., Malysheva, S.V., De Saeger, S., Van Peteghem, C., Moretti, A., Picco, A.M., De Kimpe, N. (2012). Identification of volatile markers for indoor fungal growth and chemotaxonomic classification of *Aspergillus* species. *Fungal Biology*, **116**:941-953.
- Promputtha, I., Jeewon, R., Lumyong, S., Mckenzie, E., Hyde, K., Lumyong, R., Mckenzie, S., Hyde, E. (2005). Ribosomal DNA fingerprinting in the identification of non sporulating endophytes from *Magnolia liliifera* (Magnoliaceae). *Fungal Diversity*, **20**:167-186.
- Puri, S.C., Nazir, A., Chawla, R. (2006). The endophytic fungus *Trametes hirsuta* as a novel alternative source of podophyllotoxin and related aryl tetralin lignans. *Journal of Biotechnology*, **122(4)**:494-510.

- Puri, S.C., Verma, V., Amna, T., Qazi, G.N., Spiteller, M. (2005). An endophytic fungus from *Nothapodytes foetida* that produces camptothecin. *Journal of Natural Products*, **68**:1717-1719.
- Rabkin, J.M., Orolloff, S.L., Corless, C.L., Benner, K.G., Flora, K.D., Rosen, H.R. Olyael, A.J. (2000). Association of fungal infection and increased mortality in liver transplant recipients. *The American Journal of Surgery*, **179**:426-430.
- Rashmi, M., Kushveer, J.S., Sarma, V.V. (2019). Secondary Metabolites Produced by Endophytic Fungi from Marine Environments. In: Jha S. (eds) Endophytes and Secondary Metabolites, Reference Series in Phytochemistry. Springer Nature Switzerland, pp 491-526.
- Rodrigues, C., Černáková, L. (2020). Farnesol and Tyrosol: Secondary Metabolites with a Crucial quorum-sensing Role in *Candida* Biofilm Development. *Genes*, **11(44)**:1-15.
- Rodrigues, R.A., de Araujo, A.V., da Cunha, R.M., Carvalho, C.M. (2018). Antibacterial activity of endophytic fungi from the medicinal plant *Uncaria mentosa* (Willd.) DC. *Journal of Medicinal Plants Research*, **12**(15):179-85.
- Rodriguez, R.J., White, J.F., Arnold, A.E., Redman, R.S. (2009). Fungal endophytes: diversity and functional roles. *New Phytologist*, **182**:314-330.
- Roy, R.N., Laskar, S., Sen, S.K. (2006). Dibutyl phthalate, the bioactive compound produced by *Streptomyces albidoflavus* 321.2. *Microbiological research*, **161**:121-126.
- Saikkonen, K., Faeth, S.H., Helander, M., Sullivan, T.J. (1998). Fungal endophytes: a continuum of interactions with host plants. *Annual Review of Ecology and Systematics*, **29**:319-343.

- Sarwar, S., Firdous, Q., Khalid, A.N. (2019). Importance of Molecular and Phylogenetic Analyses for Identification of Basidiomycetes. In: Recent Advances in Phylogenetics (ed.) Zubaida Yousaf. IntechOpen.
- Schulz, B., Guske, S., Dammann, U., Boyle, C. (1998). Endophyte-host interactions. II. Defining symbiosis of the endophyte-host interaction. *Symbiosis*, **25**:213-27.
- Schulz, B., Boyle, C., Draeger, S., Römmert, A.K., Krohn, K. (2002). Endophytic fungi: a source of novel biologically active secondary metabolites. *Mycological Research*, **106(9)**:996-1004.
- Schulz, B., Wanke, U., Draeger, S. & Aust. H.-J. (1993). Endophytes from herbaceous plants and shrubs: effectiveness of surface sterilisation methods. *Mycological Research*, **97**:1447-1450.
- Seephonkai, P., Isaka, M., Kittakoop, P., Trakulnaleamsai, S., Rattanajak, R., Tanticharoen, M., Thebtaranonth, Y. (2001). A new tropolone from the insect pathogenic fungus *Cordyceps* sp. BCC 1681. *Journal of Antibiotics*, **54**:751-752.
- Sengupta, S., Nandi, I., Bhattacharyya, D.K., Ghosh, M. (2018). Anti-Oxidant and Anti-Bacterial properties of 1-Octacosanol isolated from rice bran wax. *Journal of Plant Biochememistry and Physiology*, **6(1)**:1-8.
- Sharma, R., Tangjang, S., Shukla, A.C. (2020). New Taxon of Fungal Endophytes from *Phrynum capitatum* Willd: A Promising Ethnomedicinal Plant in Northeast India and its Systematic and Phylogenetic Analysis. *Science and Technology Journal*, **7(1)**:28-36.
- Shi, D., Zhao, Y., Yan, H., Fu, H., Shen, Y., Lu, G., Mei, H., Qiu, Y., Li, D., Liu, W. (2016). Antifungal effects of undecylenic acid on the biofilm formation of

*Candida albicans. International Journal of Clinical Pharmacology and Therapeutics*, **54(5)**:343-353.

Shukla, S.T., Habbu, P.V., Kulkarni, V.H., Jagadish K.S., Pandey, A.R., Sutariya, V.N. (2014). Endophytic microbes: A novel source for biologically/pharmacologically active secondary metabolites. *Asian Journal of Pharmacology and Toxicology*, **2(3)**:01-16.

Silva, G., Oliveira, C.M, Teles, H.L., Pauletti, P.M., Castro-Gamboa, I., Silva, D.H.S, Bolzani, V.S, Young, M.C.M, Costa-Neto, C., Pfenning, L.H., Berlinck, R.G.S., Araujo, A.R. (2010). Sesquiterpenes from *Xylaria* sp., an endophytic fungus associated with *Piper aduncum* (Piperaceae). *Phytochemistry Letters*, **3(3)**:164-167.

Singh, R., Dubey, A. K. (2015). Endophytic actinomycetes as emerging source for therapeutic compounds. *Indo Global Journal of Pharmaceutical Sciences*, **5**:106-116.

Singh, S.B., Ondeyka, J.G., Tsipouras, N., Ruby, C., Sardana, V., Schulman, M., Sanchez, M., Pelaez, F., Stahlhut, M.W., Munshi, S., Olsen, D.B., Lingham, R.B. (2004). Hinnuliquinone, a C2-symmetric dimeric non-peptide fungal metabolite inhibitor of HIV-1 protease. *Biochemical and Biophysical Research Communications*, **324**:108-113.

Song, Y.C., Huang, W.Y., Sun, C., Wang, F.W., Tan, R.X. (2005). Characterization of Graphislactone A as the antioxidant and free radical-scavenging substance from the culture of *Cephalosporium* sp. IFB-E001, an endophytic fungus in *Trachelospermum jasminoides*. *Biological and Pharmaceutical Bulletin*, **28(3)**:506-509.

- Specian, V., Sarragiotto, M.H., Pamphile, J.A., Clemente, E. (2012). Chemical characterization of bioactive compounds from the endophytic fungus *Diaporthe helianthi* isolated from *Luehea divaricata*. *Brazilian Journal of Microbiology*, **43**:1174-1182.
- Staniek, A., Woerdenbag, H.J., Kayser, O. (2008). Endophytes: Exploiting biodiversity for the improvement of natural product-based drug discovery. *Journal of Plant Interactions*, **3**:75-93.
- Stepniewska, Z., Kuzniar, A. (2013). Endophytic microorganisms-promising applications in bioremediation of greenhouse gases. *Applied Microbiology and Biotechnology*, **97**:9589-9596.
- Stierle, A., Strobel, G., Sierle, D. (1993). Taxol and taxane production by *Taxomyces andreanae*, an endophytic fungus of Pacific yew. *Science*, **260(5105)**:214-16.
- Strobel, G., Daisy, B., Castillo, U., Harper, J. (2004). Natural products from endophytic microorganisms. *Journal of Natural Products*, **67**:257-268.
- Strobel, G.A., Daisy, B. (2003). Bioprospecting for Microbial Endophytes and Their Natural Products. *Microbiology and Molecular Biology Reviews*, **67**:491-502.
- Subbulakshmi, G. K., Thalavaipandian, A., Bagyalakshmi, R. V., and Rajendran, A. (2012). Bioactive endophytic fungal isolates of *Biota orientalis* (L) Endl., *Pinus excelsa* Wall. and *Thuja occidentalis* L. *International Journal of Advanced Life Sciences*, **4**:9-15.
- Suryanarayanan, T. S., Murali, T. S., Thirunavukkarasu, N., Govinda Rajulu, M. B., Venkatesan, G., Sukumar, R. (2011). Endophytic fungal communities in woody perennials of three tropical forest types of the Western Ghats, southern India. *Biodiversity and Conservation*, **20(5)**: 913-928.

- Suryanarayanan, T.S. (2013). Endophyte research: going beyond isolation and metabolite documentation. *Fungal Ecology*, **6**:561-568.
- Sushma, K.S., Jayashankar, M., Vinu, A.K., Saeed, M.A. (2018). Identification of endophytic fungi from the medicinal plants of Biligirirangana hill, Karnataka. *Journal of Applied and Natural Science*, **10(4)**:1156-1161.
- Tačić, A., Nikolić, V., Nikolić, L., Savić, I. (2017). Antimicrobial sulfonamide drugs. *Advanced technologies*, **6(1)**:58-71.
- Tamura, K., Stecher, G., Peterson, D., Filipski, A., Kumar, S. (2013). MEGA6: Molecular Evolutionary Genetics Analysis Version 6.0. *Molecular Biology and Evolution*, **30(12)**: 2725-2729.
- Tamura, K., Masatoshi, N., Kumar, S. (2004). Prospects for inferring very large phylogenies by using the neighbor-joining method. *Proceedings of the National Academy of Sciences U.S.A*, **101(30)**:11030-11035.
- Tan, R.X., Zou, W.X. (2001). Endophytes: a rich source of functional metabolites (1987 to 2000). *Natural product reports*, **18**:448-459.
- Tayung K., Jha, D.K. (2006). Antimicrobial evaluation of some fungal endophytes isolated from bark of Himalayan yew. *World Journal of Agricultural Sciences*, **2**:489-494.
- Tayung, K. (2008). Studies On Endophytic Microorganisms Associated with *Taxus* sp. Ph.D. Thesis, Gauhati University, Guwahati.
- Tayung, K., Barik, B.P., Jha, D.K., Deka, D.C. (2011). Identification and characterization of antimicrobial metabolite from an endophytic fungus, *Fusarium solani* isolated from bark of Himalayan yew. *Mycosphere*, **2(3)**:203-213.

- Thakur, D., Bora, T.C., Bordoloi, G.N., Mazumdar, S. (2009). Influence of nutrition and culturing conditions for optimum growth and antimicrobial metabolite production by *Streptomyces* sp. 201. *Journal of Medical Mycology*, **19**:161-167.
- Thrower, L.B., Lewis, D.H. (1973). Uptake of sugars by *Epichloe typhina* (Pers. ex Fr.) Tul. in culture and from its host, *Agrostis stolonifera* L. *New Phytologist*, **72**:501-508.
- Venkatasubbaiah, P., Chilton, W.S. (1990). Phytoxins of *Botryosphaeria obtusa*. *Journal of Natural Products*, **53**:1628-1630.
- Verma, V., Lobkovsky, E., Gange, A., Singh, S.K., Prakash, S. (2011). Piperine production by endophytic fungus *Periconia* sp. isolated from *Piper longum* L. *The Journal of Antibiotics*, **64**:427-431.
- Wang, L.W., Xu, B.G., Wang, J.Y., Su, Z.Z., Lin, F.C., Zhang, C.L., Kubicek, C.P. (2012). Bioactive metabolites from *Phoma* species, an endophytic fungus from the Chinese medicinal plant *Arisaema erubescens*. *Applied Microbiology and Biotechnology*, **93(3)**:1231-1239.
- Wicklow, D.T., Roth, S., Deyrup, S.T., Gloer, J.B. (2005). A protective endophyte of maize: *Acremonium zaeae* antibiotics inhibitory to *Aspergillus flavus* and *Fusarium verticillioides*. *Mycological Research*, **109(5)**:610-618.
- Wilson, D. (1995). Endophyte: The Evolution of a Term and Clarification of Its Use and Definition. *Oikos*, **73**: 274-276.
- Wolf, M., Friedrich, J., Thomas, D., Müller, T. (2005). CBCAnalyzer: inferring phylogenies based on compensatory base changes in RNA secondary structures. *In Silico Biology*, **5**:291-294.
- Xu, J., Adamowicz, S. (2016). Fungal DNA barcoding. *Genome*, **59(11)**:913-932.

Yang, Li., Jiang, J.G. (2009). Bioactive components and functional properties of *Hottuynia cordata* and its applications. *Pharmaceutical Biology*, **47(12)**:1154-1161.

Yang, X., Strobel, G., Stierle, A., Hess, W.M., Lee, J., Clardy, J. (1994). A fungal endophyte-tree relationship: *Phoma* sp. in *Taxus wallachiana*. *Plant Science*, **102(1)**:1-9.

Yang, X., Zhang, L., Guo, B., Guo, S. (2004). Preliminary study of vincristine-producing endophytic fungus isolated from leaves of *Catharanthus roseus*. *China Trade Herb Drugs*, **35**:79-81.

Yixi, L. (2015). Isolation and structure elucidation of anticancer and antimalarial natural products. Ph D thesis. Virginia Polytechnic Institute and State University, Blacksburg, Virginia, pp 1-201.

Zhang, W., Tian W., Gao, Z., Wang, G., Zhao, H. (2020). Phylogenetic Utility of rRNA ITS2 Sequence-Structure under Functional Constraint. *International Journal of Molecular Sciences*, **21(17)**:6395.

Zhang. P., Zhou, P.P., Yu, L.J. (2009). An endophytic taxol-producing fungus from *Taxus media*, *Cladosporium cladosporioides* MD2. *Current Microbiology*, **59**:227-232.

Zhao, J., Shan, T., Mou, Y., Zhou, L. (2011a). Plant derived bioactive compounds produced by endophytic fungi. *Mini Reviews in Medicinal Chemistry*, **11**:159-68.

Zhao, J., Sun, W., Shan, T., Mou, Y., Lou, J., Li, Y., Wang, M., Zhou, L. (2012b). Antimicrobial metabolites from the endophytic fungus *Gliomastix murorum* Ppf8 associated with the medicinal plant *Paris polyphylla* var. *yunnanensis*. *Journal of Medicinal Plant Resources*, **6(11)**:2100-2104.

- Zhao, J., Zhou, L., Wang, J., Shan, T., Lingyun, Z., Liu, X., Gao, L. (2010). Endophytic fungi for producing bioactive compounds originally from their host plants. In: Mendez-Vilas A (ed) Current Research, Technology and Education Topics in Applied Microbiology and Microbial Biotechnology, Vol. 1, pp 567-576.
- Zhao, J.T., Fu, Y.J., Luo, M., Zu, Y.G., Wang, W., Zhao, C.J., Gu, C.B. (2012a). Endophytic fungi from pigeon pea *Cajanus cajan* (L.) Mill sp. produce antioxidant Cajaninstilbene Acid. *Journal of Agricultural and Food Chemistry*, **60**:4314-4319.
- Zhao, K., Penttinen, P., Guan, T., Xiao, J., Chen, Q., Xu, J., Lindström, K., Zhang, L., Zhang X., Strobel G.A. (2011). The diversity and anti-microbial activity of endophytic actinomycetes isolated from medicinal plants in Panxi plateau, China. *Current Microbiology*, **62**:182-190.
- Zou, W.X., Meng, J.C., Lu, H., Chen, G.X., Shi, G.X., Zhang, T.Y., Tan, R.X. (2000). Metabolites of *Colletrotrichum gloeosporioides*, an endophytic fungus in *Artemisia mongolica*. *Journal of Natural Products*, **63**:1529-1530.
- Zuker, M. (2003). Mfold web server for nucleic acid folding and hybridization prediction. *Nucleic Acids Research*, **31(13)**:3406-3415.