

REFERENCES

- Abu-Asab, M. and Cantino, P. D. 1987. Phylogenetic implications of leaf anatomy in subtribe Melittidinae (Labiatae) and related taxa. *Journal of Arnold Arboretum.***68**:1-34.
- Abujam, S. S. and Shah, R. K. 2012. Study on the ethnomedicinal system of local people of Dibrugarh, Assam. *International Journal of Pharmaceutical Invention.***2**:17-28.
- Agrawal, A. and Gibson, C. C. 1999. Enchantment and disenchantment: the role of community in natural resource conservation. *World Development.* **27**:629–649.
- Ahmedullah, M. and Nayar, M. P. 1986. *Endemic plants of Indian region (Peninsular India).*I. Botanical Survey of India, Calcutta.
- Alves, G. G. N., Ottra, J. H. L., Devecchi, M. F., Demarco, D. and Pirani, J. 2016. Structure of the flower of Simaba (Simaroubaceae) and its anatomical novelties. *Botanical Journal of the Linnean Society.***183**:162-176.
- Annamani, B. and Prabhakar, M. 1991. Foliar architecture of the Visakhapatnam Flora. I. *Rannales Indian Journal of Forestry.***14**:131-137.
- Anonymous. 1943. *Journal of Arnold Arboratum.* Vol. **24**. Harvard University, Cambridge.
- Anonymous. 2003. *Medicinal plant conservation.* IUCN.**11**: 42.
- Arber, A. 1950. *The natural philosophy of plant form.* Cambridge University Press. Cambridge.
- Bachelier, J. B. and Endress, P. K. 2008. Floral structure of *Kirkia* (Kirkiaeae) and its position in Sapindales. *Annals of Botany.***102**:539–550.

- Bailey, I. W. 1951. The use and abuse of anatomical data in the study of phylogeny and classification. *Phytomorphology*. **1**: 67-69.
- Bailung, B. and Puzari, M. 2016. Traditional use of plants by the Ahoms in human health management in upper Assam, India. *Journal of Medicinal Plants Studies*. **4(2)**:48-51.
- Baranova, M. 1972. Systematic anatomy of the leaf epidermis in the Magnoliaceae and some related families. *Taxon*. **21**:447-469.
- Baranova, M. 1992. Principles of comparative stomatographic studies of flowering plants. *Botanical Review*. **58**:1-99.
- Barton, S. V. 1967. *Bibliography of seeds*. New York: Columbia Univ. Press. Pp. 858.
- Baruah, S. M., Baruah, L. B. and Nath, S. C. 2012. Ethnomedicinal plants from Disoi valley reserve forest of Jorhat district, Assam. *Plant Sciences Feed*. **2**:59-63.
- Barukial, J. and Sarma, J. N. 2011. Ethnomedicinal plants used by the people of Golaghat district, Assam. *Indian Journal of Medicinal Aromatic Plants*. **1**:203-211.
- Beckman, L. M. and Roth, L. F. 1968. The influence of temperature on longevity and germination of seed of western dwarf mistletoe. *Phytopathology*. **58**:147-150.
- Bennett, A. W. 1875. *Flora of British India*. L. Reeve and Co., London. **1**:521.
- Bersiar, J. D. and Bocquet, G. 1960. Les Methods d' eclarcis sementen vascularisation et en morphologene vegetable compares. *Arch. Sci (Geneva)*. **13**:555-556.

- Bentvelzen, P. A. J. 1962. Reduction of the genus *Hynea* Roxb.*ex* Sims to *Trichilia* P. Browne (Maliaceae). *Acta Bot. Neer.***11**:11-20.
- Benz, B., Cevallos, J., Santana, F., and Graf, S. 2000. Losing knowledge about plant use in the Sierra de Manantlan Biosphere Reserve, Mexico. *Economic Botany*. **54**:183-191.
- Bharathi, K. M., Lakshminarayana K. and Ganapaty S. 2007. Foliar architecture and epidermal studies in some varieties of *Artocarpus*.*Flora and Fauna*.**13(1)**:3-10.
- Bharati, K. A. and Singh H. B. 2012. *Brucea mollis* Wall.*ex* Kurz: Untapped potential medicinal plant of Northeast India. *NeBio*.**3(3)**:26-28.
- Bodeker, G. 2000. Indigenous Medical Knowledge: The Law and Politics of Protection: Oxford Intellectual Property Research Centre Seminar in St. Peter's College, Oxford.
- Bonga, J. M. 1965. *Arceuthobium pusillum* Peck: collection of seeds and *in vitro* culture of the early seedling stage. *Canadian Journal of Botany*. **43**:1307-1308.
- Borthakur, S. K. 1976. Less known medicinal uses of plants among the tribes of Karbi-Anglong (Mikir Hills), Assam. *Bulletin of Botanical Survey of India*.**18 (1-4)**:166-176.
- Boubos, S. T. and Beakbane, A. B. 1971. A chemical method for separating leaf epidermis from mesophyll tissue. *United Arab Republic Journal of Botany*.**14**:317.
- Bradbeer, J. W. 1988. Seed Viability and Vigour. In: *Seed Dormancy and Germination*. Tertiary Level Biology. Springer. Boston, MA. Pp. 195-109.

- Brandis, D. 1906. *Indian trees an account of trees, shrubs, woody climbers, bamboos, and palms indigenous or commonly cultivated in the British Indian Empire*. Archibald constable and Co. Ltd. London.Pp. 127.
- Bratton, M. 1989. The politics of government-NGO relation in Africa. *World Development*.**17**: 569–587.
- Buragohain, J. and Konwar, B. K. 2007. Ethnomedicinal plants used in skin diseases by some Indo-Mongoloid communities of Assam. *Asian Journal of Experimental Science*.**21**:281-288.
- Buragohain, J. 2011. Ethnomedicinal Plants Used by the ethnic Communities of Tinsukia District of Assam, India. *Recent Research in Science and Technology*.**3**:31-42.
- Bureau, E. and Schumann, K. 1897. Bignoniaceae. ii. 229–452. in von Martius, C. F. P., editor. *Flora Brasiliensis*.**8**(2, fasc. 121). Lipsiae apud Fried. Munich Fleischer in Comm.
- Carr, D. J., Carr, S.G.M. and Lenz, J. R. 1986. Leaf venation in *Eucalyptus* and other genera of Myrtaceae: implications for systems of classification of venation. *Australian Journal of Botany*.**34**:53-62.
- Carvalho, N. M. and Nakagawa, J. 2000. *Sementes: ciência, tecnologia e produção*. 4 ed. Jaboticabal: FUNEP. Pp. 424.
- C. G. G. J. van Steenis. 1950. *Flora Malesiana*. Noordhoff -Kolff N. V., Djakarta. Ser. I. **6(2)**:193-212.
- Chakraborty, R., De, B., Devanna, N. and Sen, S. 2012. North-East India an Ethnic Storehouse of Unexplored Medicinal Plants. *Journal of Natural Products. Plant Resource. Scholars Research Library*. **2(1)**:143-152.

- Chanda, S., Sarethy I. P., Singh, K. and De B. 2013. *Paederia foetida* — a promising ethnomedicinal tribal plant of northeastern India. *Journal of Forestry Research.* **24(4)**:801-808.
- Chen, H., Bai, J., Fang, Z. F., Ma, S.G., Yu, S.S. and Chen, X. G. 2013. Chemical constituents from stems of *Brucea mollis* and their cytotoxic Activity. *PubMed.* **38(14)**:2321-4.
- Clarke, C. B. 1890. On the plants of Kohima and Muneypure. *The Journal of the Linnean Society.* **25**:11.
- Clark, T. P. 1990. *Studies in Trichilia – Walsura complex (Meliaceae).* A thesis submitted for the Doctoral of Philosophy in the University of Oxford. Michaelmas.
- Clayton, J. W., Fernando, E. S., Soltis, P. S. and Soltis, D. E. 2007. Molecular phylogeny of the tree-of-heaven family (Simaroubaceae) based on chloroplast and nuclear markers. *International Journal of Plant Sciences.* **168**:1325–1339.
- Clayton, J. W. 2008. *Evolutionary history of simaroubaceae (sapindales): systematics, biogeography and diversification.* A thesis submitted for the Doctoral of Philosophy in the University of Florida. Florida.
- Clayton, J. W. 2011. Simaroubaceae. In: Kubitzki K, ed. *The families and genera of vascular plants.* Flowering plants. Eudicots: Sapindales, Cucurbitales, Myrtaceae. Berlin: Springer. **10**:408–423.
- Corbineau, F. and Côme, D. 1989. Germination and storage of recalcitrant seeds of some tropical forest tree species. *Annales des sciences forestieres Sciences.* **46** (Suppl): 89-91.

Craib, W. G. 1912. *Contributions to the Flora of Siam, Dicotyledons*. University of Aberdeen. Pp. 33.

Crocker, W. and L. Barton, 1955. *Physiology of Seeds*. Inostrannaya literatura Press, Moscow (In Russ.).

Crocker, W. and Barton, L. V. 1953. *Physiology of seeds*. Waltham, Mass.: Chronica Botanica Co. Pp. 267.

Cronquist, A. 1944. Studies in the Simaroubaceae. III. The genus Simaba. *Lloydia*.**7**:81-92.

Cronquist, A. 1981. *The evolution and classification of flowering plants*. New York: The New York Botanical Garden.

Croteau, R. and Johnson, M. A. 1984. Biosynthesis of terpenoid in glandular trichomes. In: Rodriguez E., Healey P. L., Mehta I. (eds) *Biology and Chemistry of Plant Trichomes*. Plenum Press, New York.

Curtis, J. D. and Lersten, N. R. (1990). Internal secretory structures in *Hypericum* (Clusiaceae): *H. perforatum* and *H. balearicum* L.

Danial, M., Keng, C. L., Alwee, S. S. R. S. and Subramaniam, S. 2011. Seed histology of recalcitrant *Eurycoma longifolia* plants during germination and its beneficial attribute for hairy roots production. *J. Med. Pl. Res.* **5(1)**:93-98.

Das, A. K. and Tag, H. 2006. Ethnomedicinal studies of the Khamti tribe of Arunachal Pradesh. *Indian Journal of Traditional Knowledge*. **5**:317-322.

Das, F. A., Barua, I. and Das, D. D. 2008. Ethnomedicinal practices: A case study among the Sonowal Kacharis of Dibrugarh, Assam. *Ethno-Medicine*.**2**:33-37.

- Das, N. and Barthakur, S. K. 2016. Leaf architecture of some species of *Clerodendrum* Linnaeus found in Assam, India, *Pleaoni*.**10(2)**:288-296.
- Davis, A. J., Jenkinson, L. S., Lawton, J. H., Shorrocks, B. and Wood, S. 1998. Making mistakes when predicting shifts in species range in response to global warming. *Nature*. **391**:783-786.
- Debnath, B., Debnath, A., Shilsharma, S. and Paul, C. 2014. Ethnomedicinal knowledge of Mog and Reang communities of south district of Tripura, India. *Indian Journal of Advances in Plant Research*. **1(5)**:49-54.
- Deka, R., Baruah, B. K., Saikia, K., Ahmed, R., Basumatary, D. and Kalita, J. 2012. Study of medicinal plants in a flood plain wetland in Barpeta district, Assam, India. *The Clarion*. **1**:87-93.
- Dembitsky, V. M. 2005. Astonishing diversity of natural surfactants: 6. Biologically active marine and terrestrial alkaloid glycosides. *Lipids*. **40 (11)**:1081-1105.
- Deokule, S. S. and Kate, S. S. 2001. Foliar architecture of some medicinally important plants of genus *Desmodium* Desv. *Journal of Economic and Taxonomic Botany Additionala*. **1(19)**: 87-92.
- Dhawan, B. N., Patnaik, G. K., Rastogi, R. P., Singh, K. K. and Tondan, J. S. 1977. Screening of Indian Plants for Biological Activity: Part VI. *Indian Journal of Experimental Biology*. **15 (3)**: 208-219.
- Dickinson, W. C. 1975. The bases of angiosperm phylogeny: vegetative anatomy. *Annals of the Missouri Botanical Garden*. **62**: 590-620.
- Dilcher, D. L. 1974. Approaches to the identification of angiosperm leaf remains. *Botanical Review*. **40**:1-157.
- Dobriyal, R. M. and Narayana, D. B. 1998. *IDMA Bulletin*. **29**:272.

- Duke, S. O. 1994. *International Journal for Plant Science*.**155**: 617-620.
- Dutta, B. K. and Dutta, P. K. 2005. Potential of Ethno botanical studies in North East India: An overview. *Indian Journal of Traditional Knowledge*. **4(7)**:1-5.
- Eames, A. J. and MacDaniels L. H. 1925. *An introduction to plant anatomy*, Tata McGraw-Hill Publishing Company Limited, New Delhi. 2nd Ed. Pp. 356-360.
- Edeoga, H. O. 1991. Comparative morphology of the leaf epidermis in three species of *Boerhevia* L. (Nyctaginaceae). *mJournal of Economic and Taxonomic Botany*. **1**:14-21.
- Edeoga, H. O and Ikem, C. I. 2001. Comparative Morphology of leaf epidermis in three species of *Boerhevia* L. *Journal of Economic and Taxonomic Botany*. **19**: 197-205.
- Edwards, M. M. 1968. Dormancy in seeds of charlock II. The influence of the seed coat. *Annals of Botany*. **19**: 601-610.
- Ellis, R. H. and Roberts, E. H. 1980. Towards a rational basis for testing seed quality. In *Seed Production*, (ed.P.D. Hebblethwaite), Butterworths, London. Pp. 605-635.
- Elias, T. S. and Gelband, H. 1976. Morphology and anatomy of floral and extrafloral nectaries in *Campsis* (Bignoniaceae). *American Journal of Botany*.**63**:1349-1353.
- Endress, P. K., Jenny, M. and Fallen, M. E. 1983. Convergent elaboration of apocarpous gynoecia in higher advanced dicotyledons (Sapindales, Malvales, Gentianales). *Nordic Journal of Botany*.**3**: 293–300.

- Engler, A. 1874. Simarubaceae. In: von Martius CPF, ed. *Flora brasiliensis*, XII. Pars II. Leipzig: Frid. Fleischer. Pp. 197–248.
- Engler, A. 1931. Simaroubaceae. In: Engler A, Prantl K, eds. *Die natiurlichen Pflanzenfamilien*, 2nd edn 19a. Leipzig: Engelmann. Pp. 359–405.
- Etejere, E. O. and Ajibola, I. O. 1990. Studies on seed germination and dormancy of Itchgrass (*Rottboellia cochinchinensis*). *Nigerian Journal of Weed Science*. **3**:19-28.
- Ettingshausen von, G. 1861. *Die Blatt-Skelete der Dikotyledonen* Wien: Staatsdruckerei, Vienna. Pp. 308.
- Evenari, M. 1949. Germination inhibitors. *Botanical review*. **15**:153-194.
- Fahn, A. 1979. Secretory tissues in plants. Academic Press, London. Pp.302.
- Fahn, A. 1990. Plant anatomy. 4th. ed. Oxford, Pergamon Press.
- Fernando, E. S. and Quinn, C. J. 1992. Pericarp anatomy and systematic of the Simaroubaceae *sensu lato*. *Australian Journal of Botany*. **40**:263–289.
- Fernando, E. S., Gadek, P.A. and Quinn, C. J. 1995. Simaroubaceae, an artificial construct: evidence from rbcL sequence variation. *American Journal of Botany*. **82**:92–103.
- Firsova, M. K. 1955. *Methods for Investigation and Estimation of the Seed Characteristics*. Selhozgiz Press, Moscow (In Russ.).
- Foster, A. S. 1949. *Practical Plant Anatomy*. New York.
- Foster, A. S. 1950 a. Morphology and venation of the leaf in *Quiina acutangula* DUCKE. *American Journal Botany*. **37**: 159-171.
- Foster, A. S. 1950 b. Venation and histology of leaflets in *Touroulia guianensis* ATJBL and *Foresia tricarpapires*. *American Journal of Botany*. **37**: 848-862.

- Foster, A. S. 1961. The phylogenetic significance of dichotomous venation in angiosperms. In *Recent advances in Botany*. **2**: 971-975. University of Toronto Press. Toronto
- Foster, A. S. 1972. Venation patterns in the leaves of *Ephedra*. *Journal of the Arnold Arboratum*. **53**:364-378.
- Castro, F. F. F. P. de, Gama, T. S., Serra, T. S., Feio, A. C., Demarco, D., Aguiar-Dias, A. C. A. de. Structure and distribution of glandular trichomes in three species of Bignoniaceae. *Acta Amazonica*, Manaus. **45(4)**: 347-354, 2015.
- Franceschinelli, E. V. and Yamamoto K., 1993. Taxonomic use of leaf anatomical characters in the genus *Simarouba Aublet* (Simaroubaceae) *Flora*. **188**:117-124.
- Gam, N. K. 2013. Ethno Medicinal claims Existing among Mising Tribes of Assam. International. *Journal of Science Inventions Today*. **2**: 284-291.
- Gam, N. K. and Gam, J. 2012. Studies on some wild plant species used by the Mising (Miri) tribe of Assam in their traditional food items. *International Journal of Pharma Sciences and Research*. **3(12)**: 543-547.
- Gama, T. S. S., Demarco, D. and Aguiar-Dias, A. C. A. 2013. Ontogeny, histochemistry, and structure of the glandular trichomes in *Bignonia aequinoctialis* (Bignoniaceae). *Brazilian Journal of Botany*. **36**: 291-297.
- Gamble, J. S. 1881. *A manual of Indian timbers: an account of the structure, growth, distribution and qualities of Indian woods*. Calcutta Office of the Superintendent of Govt. Printing. Pp. 63-65.
- Garg, A. 2010. Micromorphological Key of the leaf epidermal features of *Berberis* L. Taxa. *Journal of Economic and Taxonomic Botany*. **34(2)**: 415-418.
- Gentry, A. H. 1980. Bignoniaceae—Part I. Fl. *Neotropical Monograph*. **25**:11–130.

- Gupta, R. 1961. Correlation of tissues in leaves. I. Absolute veinislet numbers and absolute veinlet termination numbers. *Annals of Botan.* **25**: 65-70.
- Gerlach, D. 1977. *Botanische Mikrotechnik*, 2nd ed. Stuttgart: Thieme.
- Gupta, A. K., Sharma, M. and Tandon, N. 2004. *Reviews on Indian medicinal plants*. Indian Council Medical Research, New Delhi. **4**: 431-433.
- Gogoi, R. and Borthakur, S. K. 2001. Notes on herbal recipes of Bodo tribe in Kamrup district, Assam. *Ethnobotany*. **13**: 15-23.
- Gohil, D., Raole, V.M. and Daniel, M. 2007. *Herbal Technol.: Recent Trends*. Prog.
- Gomez, K. A. and Gomez, A. A. 1984. *Statistical Procedures for Agricultural Research* 2nd ed. New York, Chichester, etc.: Wiley.
- Gourlay, C. W., Hofer, J. M. and Ellis, T. N. 2000. Pea compound leaf architecture is regulated by interactions among the genes UNIFOLIATA, COCHLEATA, AFILA, and TENDRIL-LESS. *The Plant Cell*. **12(8)**:1279-1294.
- Graves, W. R. 1990. Stratification not required for Tree-of-Heaven seed germination. *Tree Planter's Note*. **41(2)**:10-12.
- Green, J. R. 1884. On the organs of secretion in the Hypericaceae. *Journal of the Linnean Society of London*. **20**: 451-64.
- Groppi, M., Pirani, J. R., Salatino, M. L. F. and Blanco, S. R. 2008. Phylogeny of Rutaceae based on two noncoding regions from cpDNA. *American Journal of Botany*. **95**: 985-1005.
- Hamidi, R., Pirasteh-Anosheh, H. and Izadi M. 2013. Effect of seed halo-priming compared with hydro-priming on wheat germination and growth. *International Journal of Agronomy and Plant Product*. **4(7)**:1611-1615.

- Hartman, H. R. and Kester, D. E. 1968. *Plant Propagation Principles and Practices*. 2nd ed. London: Prentice Hall.
- Heil, M. and McKey, D. 2003. Protective ant–plant interactions as model systems in ecological and evolutionary research. *Annual Review of Ecology Evolution and Systematics*. **34**: 425-553.
- Hickey, L. J. and Doyle, J. A. 1972. Fossil evidence on the evolution of angiosperm leaf venation. *American Journal of Botany*. **59**: 661.
- Hickey, L. J. 1973. Classification of the architecture of dicotyledonous leaves. *American Journal of Botany*. **60(1)**: 17-33.
- Hickey, L. J. and Wolfe, J. A. 1975. The bases of angiosperm phylogeny. *Vegetativemorphology. Annals of Missouri Botanical Garden*. **62**: 538 -589.
- Hickey, L. J. 1979. A revised classification of the architecture of dicotyledonous leaves. In Metcalfe, C. R. and Chalk, L., eds. *Anatomy of the dicotyledons*, 2nd edn. Vol.I, *Systematic anatomy of the leaf and stem*. Oxford: Clarendon Press. Pp. 25-39.
- Ho, P. H. 2000. *An illustrated flora of Vietnam*. Hanoi: Young Publishing House. **2**: 383–386.
- Holtum, R. E. 1968. *Flora of Malaya*, vol. II (Ferns). Second edition. Government Printing Office, Singapore.
- Hooker, J. D. 1875. *Flora of British India*. L. Reeve and C. Ltd., London. **1**: 521.
- Hua, P. and Thomas, W. W. 2008. *Flora of China*. Missouri Botanical Garden Press. **11**:103-104.
- Huang, Y., Chen S. and Kao, W. 2012. Floral biology of *Bidens pilosa* var. *radiata*, an invasive plant in Taiwan. *Botanical Studies*. **53**: 501-507.

- Inamdar, J. A. 1970. Development of stomata in some *Ophioglossum* Species. *Annals of Botany.* **34(137):** 975-981.
- Inamdar, J. A. and G. S. R. Murthy. 1981. Leaf architecture in some Solanaceae. *Flora.* **167:** 265-272.
- Inamdar, J. A., Shenoy, K. N. and Rao, N. V. 1983. Leaf architecture of some monocotyledons with reticulate venation. *Annals of Botany.* **52 (5):** 725-735.
- ISTA. 1966. International Seed Testing Association. Proc. Inter. Seed Testing Assoc. **31:** 1-152.
- Jain, D. K. 1978. Studies in Bignoniaceae III Leaf architecture. *J. Indian Botanical Society.* **57:** 369-387.
- Jain, S. K. and Rao, R. R. 1977. *A Handbook of Field and Herbarium Methods.* Today and Tomorrow's Printers and Publishers, New Delhi.
- Jain, S. K. 1987. *A Manual of Ethnobotany.* Scientific Publishers. Jodhpur.
- Jayeola, A. A. 2009. *Journal of Medicinal Plants and Research.* **3(5):**438-442.
- Jian-Hua, L., Hui-Zi, J., Wei-Dong, Z., Shi-Kai, Y., and Yun-Heng, S. 2009. Chemical constituents of plants from the genus *Brucea.* *Chemistry and Biodiversity.* **6:**57–70.
- Jian-Hua, L., Hui-Zi, J., Wei-Dong, Z., Shi-Kai, Y. and Yun-Heng, S. 2009. Chemical constituents of plants from the genus *Brucea.* *Chem Biodivers.* **6:**57–70.
- Johansen, D. A. 1940. *Plant Microtechnique.* McGraw Hill Book Co. New York. Pp. 523.

- Judd, W. S., Campbell, C. S., Kellogg, E. A., Stevens, P. F. and Donogue, M. J. 2008. *Plant systematics. a phylogenetic approach*, 3rd edn. Sunderland, MA: Sinauer Associates.
- Kakati, D and Barthakur, S. K. 2016. Morphological and anatomical studies of vegetative parts of *Brucea mollis* Wall.ex Kurz - an endemic medicinal plant of Assam. *NeBIO*. **7(2)**:57-65.
- Kalita, D. and Bora, R. 2008. Some folk medicines from Lakhimpur district, Assam. *Indian Journal of Traditional Knowledge*. **7**:414-416.
- Kang, S., Kim, S., Oh, S. and Lee, D. 2000. Predicting spatial and temporal patterns of soil temperature based on topography, surface cover and air temperature. *Forest Ecology And Management*. **136**:173-184.
- Keng C. L., Sai S. T. and Teo, C. K. H. 2002. A Preliminary Study on the Germination of *Eurycoma longifolia* Jack (Tongkat Ali) Seeds. *Pertanika Journal of Tropical Agricultural Science*. **25(1)**: 27 – 34.
- Kingston, C., Jeeva, S., Jeeva, G. M., Kiruba, S., Mishra, B. P. and Kaman, D. 2009. Indegenous knowledge of using medicinal plants in treating skin diseases in Kanyakumari district, Southern India. *International Knowledge of Traditional Knowledge*. **8(2)**:196-200.
- Koptur, S., Rico-Gray, V. and Palacios-Rios, M. 1998. Ant protection of the nectaried fern *Polypodium plebeium* in central Mexico. *American Journal of Botany*. **85**: 736-739.
- Kurz, S. 1873. New Burmese plants. *Journal of Asiatic Society of Bangal*. **42**: 64.
- Kurz, S. 1877. *Forest flora of British Burma*. Office of the Superintendent of Govt. Print. **1**: 201-202.

- Laraño, A. A. P. and Buot, Jr. I. E. 2010. Leaf architecture of selected species of Malvaceae sensu APG and its taxonomic significance. *Philippine Journal of Systematic Biology*, IV.
- LAWG. 1999. *Manual of leaf architecture-Morphological description and Categorization of Dicotyledonous and net-veined Monocotyledonous Angiosperms*. Smithsonian Institution, Washington, D. C., USA.
- Lavania, G. S., Paliwal, S. C. and Gopal B. (1990). Aquatic vegetation of the Indian subcontinent.in: Brij Gopal (ed.), *Ecology and Management of Aquatic Vegetation in the Indian Subcontinent*. Kluwer Academic Publishers, Dordrecht. Pp. 29-76.
- Lawrence, G. H. M. 1951. *Taxonomy of vascular plants*. Mc Millan Co., New York.
- Lecomte, H. 1909. *Notulae Systematae*. Imprimerie De J. Dumoulin. Paris. Pp. 104.
- Lecomte, H. 1911. Simaroubacées.*Flore Générale De L'indo- Chine*. Fascicule 7:698.
- Levin, F. A. 1929. The taxonomic value of veinislet areas based upon a study of the genera *Berosma*, *Cassia*, *Erythroxylon* and *Digitalis*. *Journal of Pharmacy and Pharmacology*. **2**: 17-43.
- Li, H. L. 1943. Notes on the flora of Kwangsi province, China. *Journal of the Arnold Arboretum*.Harvard University, Cambridge.**24**:445-446.
- Liu, J. H., Jin, H. Z., Zhang, W. D., Yan, S. K. and Shen, Y. H. 2009. Chemical constituents of plants from the genus *Brucea*.*Chemistry and Biodiversity*.**6(1)**: 57-70.

- Mao, A. A., Hynniewta, T. M. and Sanjappa, M. 2009. Plant wealth of Northeast India with reference to ethnobotany.*Indian Journal of Traditional Knowledge*, **8**:96–103.
- Martins, E. R., Casali, V. W. D., Barbosa, L. C. A. and Carazza, F. 1997. Essential oil in the taxonomy of *Ocimum selloi* Benth. *Journal of the Brazilian Chemical Society*.**8**: 29-32.
- Martin, G. J. 2004. *Ethnobotany: A ‘People and Plant’ Conservation Manual*. Chapman and Hall, London.
- Mavi, D. O., Dogan, M. and Cabi, E. 2011. Comparative leaf anatomy of the genus *Hordeum* L. (Poaceae). *Turkish Journal of Botany*. **35**: 357-368.
- Mbagwu, F. N. and Edeoga, H. O. 2006. Observations on the vegetative and floral morphology of some *Vigna* species (Leguminosae-Papilionoideae). *Pakistan Journal of Biological Sciences*. **9(9)**: 1754-1758.
- Melville, R. 1976. The terminology of leaf architecture. *Taxon*. **25**: 549 — 561.
- Menges, E. S. 1986. Predicting the future of rare plant populations: demographic monitoring and modelling. *Natural Areas Journal*.**6**: 13–25.
- Merrill, E. D. 1906. Flora of the Lamao forest reserve. *The Philippine Journal of Science, C. Botany. 1 suppl. (3)*:70.
- Merrill, E. D., Rolfe, R. A. 1908. Notes on Philippine Botany. *The Philippine Journal of Science, C. Botany. 3(3)*:104.
- Merrill, E. D. 1915. New or noteworthy Philippine plants, XI.*The Philippine Journal of Science, C. Botany. 10(1)*: 19
- Merrill, E. D. 1917. New Philippine shrubs and trees.*The Philippine Journal of Science, C Botany.12(5)*: 274-275.

- Merril, E. D. 1923. *An enumeration of Philippine flowering plants*. Manila Bureau of printing. **2**:347.
- Merrill, E. D. and Chun, W. Y. 1940. Additions to our knowledge of the Hainan flora, III. *Sunyatsenia*.**5 (1-3)**: 1–200.
- Metcalfe, C. R. and Chalk, L. 1950. *Anatomy of the Dicotyledons*. Vol. I, II. Oxford University Press, Oxford.
- Metcalfe, C. R. 1954. An anatomists views on angiosperm classification. *Kew Bulletin*. **2**: 427-440.
- Metcalfe, C. R. 1961. The anatomical approach to systematics. *Recent Advances in Botany*. Toronto.**1**: 146-150.
- Metcalfe, C. R. and Chalk, L. 1979. *Anatomy of Dicotyledons I*. London: Oxford University Press.
- Mike, P. 1991. A modified terminology for angiosperm leaf architecture. *Journal of the Royal Society of New Zealand*. **21(4)**: 297-312.
- Mitra, S. and Mukherjee, S. K., 2010. Ethnomedicinal usages of some wild plants of North Bengal plain for gastro-intestinal problems. *International Journal of Traditional Knowledge*. **9(4)**: 705-712.
- Mubo, A. Sonibare *et al*. *Journal of Chemistry and Pharmaceutical Researcrh*. 2012, **4(1)**:800-807.
- Murashige, T. and Skoog, F. 1962. A revised medium for rapid growth and bioassays with tobacco tissue cultures. *Physiology Plant*. **15**: 473-497.
- Mohan, J. S. S. and Inamdar, J. A. 1984. Leaf venation studies in some Asclepiadaceae. *Phytomorphology*.**34**: 36-45.
- Narayan, L. L. and Sayeeduddin, M. 1958. Floral anatomy of Simaroubaceae. *Journal of the Indian Botanical Society*.**37**: 517–522.

- Nair, N. C. and Jain, R. K. 1956. Studies in *Simaroubaceae*. Unpublished results.
- Nair, N. C. and Joseph, T. C. 1957. Floral morphology and embryology of *Samadera indica*. *Botanical Gazette*. **119**: 104–115.
- Nair, N. C. and Jain, R. K. 1956. Studies in *Simaroubaceae*. Unpublished results.
- Nair, N. C. and Joshi, R. K. 1958. Floral morphology of some members of the Simaroubaceae. *Botanical Gazette*. **120**: 88–99.
- Nash, S. N. and Wilhelm, S. 1960. Stimulation of broomrape seed germination. *Phytopathology*. **50**: 772-774.
- Nath, D. 2014. Ethno-medicinal Significance of Few Naturally Grown Plants Practices for Hepatitis in Sivasagar District of Assam, India. *European Academic Research*. **2**: 5372-5385.
- Navarro, L. and Guitiá'n, J. 2002. The role of floral biology and breeding system on the reproductive success of the narrow endemic *Petrocoptis viscosa* rothm. (Caryophyllaceae). *Biological Conservation*. **103**: 125–132.
- Nicely, K. A. 1965. A monographic study of the *Calycanthaceae*. *Gastanea*. **30**: 38.
- Nikolaeva, M. G. 1982. Seed dormancy and factors of its control. In: *Physiology and Biochemistry of Seed Dormancy and Germination*. Colos Press, Moscow, 72–96 (In Russ.).
- Nogueira, R. J. M. C., Albuquerque, M. B. and Silva, J. J. F. 2003. Efeito do substrato na emergência, crescimento e comportamento estomático em plântulas de mangabeira. *Revista Brasileira de Fruticultura*. **25(1)**:15-18.
- Nogueira, A., El Ottra, J. H. L., Guimarães, E., Machado, S. R. and Lohmann, L. G. 2013. Trichome structure and evolution in Neotropical lianas. *Annals of Botany*. **112**: 1331-1350.

- Nooteboom, H. P. and Leyden. 1962. *Flora Malesiana*. Noordhoff -Kolff N. V., Djakarta. Ser. I. **6(2)**: 193-212.
- Nwachukwu, C. U and Mbagwu, F. N. 2006. Morphological features in some species of *Indigofera* L. (Leguminosae-Papilionoideae). *Journal of Fisheries International*. **I 2-4**: 50-54.
- Ogura, Y. 1964. Comparative morphology and classification of plants. *Phytomorphology* **14**: 240-247.
- Oliveira, P. S, Freitas, A. V. L. 2004. Ant-plant-herbivore interactions in the neotropical cerrado savanna. *Die Naturwissenschaften*. **91**: 557-570.
- Ouyang, Y., Yishan, K. K. and Ohmoto, T. 1994a. Indole alkaloids from *Brucea mollis* var. *tonkinensis*. *Phytochemistry*. **37(2)**: 575-578.
- Ouyang, Y., Koike, K. and Ohmoto, T. 1994b. Canthin-6-one alkaloids from *Brucea mollis* var. *tonkinensis*. *Phytochemistry*. **36(6)**: 1543-1546.
- Ovcharov, K. E. 1976. *Physiology of Formation and Germination of Seeds*. Kolos Press, Moscow (In Russ.).
- Padmini, S. and Raja Shanmukha Rao, S. 1995. Structure, distribution and taxonomic importance of foliar stomata in some Indian *Amaranthaceae*. *Botanical Journal of Linnean Society*. **118**:149-161.
- Padmini, S. and Shanmukh Rao, S. R. (2001). Stomatogenesis in some members of *Amaranthaceae*. *Phytomorphology*. **51(2)**: 129-135.
- Paliwal, G. S. 1966. Structure and ontogeny of stomata in some Acanthaceae. *Phytomorphology*. **16**: 527-532.
- Paliwal, G. S. and Anand, S. K. 1978. Anatomy in relation to taxonomy. *Acta Botanica Indica*. **6**: 1-20.

- Pant, D. D. 1967. Development of stomata in some Cruciferae. *Annals of Botany*.**31(123)**: 513-521.
- Pant, D. D. and Kidwai, P. 1964. On the diversity in the development and organisation of stomata in Phyla nodiflora MICHX. *Current Science*. **33**: 653-654.
- Parera, C. A. and Cantliffe, D. J. 1994. Pre-sowing seed priming. *Horticultural Review*. **16**: 109-141.
- Pascal, L. M., Motte-Florac, E. F. and McKey D. B. 2000. Secretory structures on the leaf rachis of Caesalpinieae and Mimosoideae (Leguminosae): Implications for the evolution of nectary glands. *American journal of Botany*.**87(3)**: 327-338.
- Payne, W. W. 1979. Stomatal patterns in Embryophytes, their evaluation, ontogeny and interpretation. *Taxon*.**28**:117-132.
- Perrone, R., Rosa, P. D., Castro, O. D. and Colombo, P. 2013. A further analysis of secretory structures of some taxa belonging to the genus *Hypericum* (Clusiaceae) in relation to the leaf vascular pattern. *Turkish journal of Botany*.**37**: 847-858.
- Pennington, T. D. and Styles, B. T. 1981. A monograph of neotropical Malvaceae, *Trichilia*. *Flora Neotropica*.**28**: 25-233.
- Pilgrim, S. E., Smith, D. and Pretty, J. 2007. A cross-regional quantitative assessment of the factors affecting ecoliteracy: policy and practice implications. *Ecological applications*.**17**: 1742–1751.
- Pinthus, M. J. and Rosenblum, J. 1961. Germination and seedling emergence of *Sorghum* at low temperatures. *Crop Science*.**1**: 293–296.

- Pieroni, A., Anely, N., Avni, H., Mustafa, B., Bruno, S., Kevin, C. and Cassandra, L. Q. 2014. Local knowledge on plant and domestic remedies in the mountain village of Peshkopia (Eastern Albania). *Journal of Mountain Science.* **11 (1)**: 180-194.
- Pirani, J. R., El Ottra J. H. and Menezes N. L. 2010. Morfoanatomia da flor de cinco especies de Galipea Aubl.e seu significado na evolucao das flores tubulosas entre as Rutaceae neotropicais. *Revista Brasileira de Botanica.* **32**: 301–318.
- Pirasteh-Anosheh, H., Sadeghi, H. and Emam, Y. 2011. Chemical priming with urea and KNO₃ enhances maize hybrids (*Zea mays* L.) seed viability under abiotic stress. *Journal of Crop Science and Biotechnology.* **14**: 289-295.
- Pirasteh-Anosheh, H. and Hamidi, R. 2013. Does seed chemical priming improves germination and early growth of oil rapeseed. *International Journal of Agronomy and Plant Product.* **4 (4)**: 805-808.
- Pottinger, E. and Prain, D. 1898. A note on the Botany of the Kachin Hills North-East of Myitkyina. *Records of the Botanical Survey of India.* **1 (11)**: 234.
- Prabhakar, M. 2004. Structure, Delimitation, Nomenclature and Classification of Stomata. *Acta Botanica Sinica.* **46(2)**: 242-252.
- Prakash, A., Sharma, S. K., Mohapatra, P. K., Bhattacharjee, K., Gogoi, K., Gogoi, P, Mahanta, J. and Bhattacharyya, D. R. 2013. In vitro and *in vivo* antiplasmodial activity of the root extracts of *Brucea mollis* Wall. ex Kurz. *Parasitology Research.* **112 (2)**: 637-42.
- Pray, T. R. 1954. Foliar venation of Angiosperms. I. Mature venation of *Liriodendron*. *American Journal of Botany.* **41**: 663 — 670.

- Pullaiah, T. 2006. *Encyclopaedia of World Medicinal Plants*. Vol 1. Regency Publications, New Delhi. **1**:360.
- Ragusa, S., De-Pasquale R., Flores, M., Germano, M. P., Sanogo, R. and Rapisarda, A. 2001. *II Farmaco*. **56 (5-7)**: 361-363.
- Rajagopal, T. 1973. Flora of Hyderabad Including a Study of the Foliar Epidermal characters of the Species as an Aid to Taxonomy, Ph D Thesis, Osmania Univ., Hyderabad, India.
- Rajagopal, T. and Ramayya, N. 1977. The taxonomic value of guard cells seen in surface view. *Botanical Journal of Linnean Society*. **74**: 57-67.
- Rajagopal, T. 1979. Distributional patterns and taxonomic importance of foliar stomata. *Indian Journal of Botany*. **2**: 63-69.
- Ramp, E. 1988. *Struktur, Funktion und systematische Bedeutung des Gynoeciums bei den Rutaceae und Simaroubaceae*. PhD Dissertation, University of Zurich, Zurich.
- Rao, P. and Ramayya, N. 1985. Taxonomic significance of laminar stonatal distribution in *Clerodendrum*. *Phylogenesis*. **34**: 158- 64.
- Richardson I. B. K. 1978. *Endemic Taxa and the Taxonomist* In: STREET H. E. (ed.) Essays in plant Taxonomy. pp. 245-262. Academic Press, London.
- Rivera, G. L. 2000b. Nectarios extranupciales florales en especies de Bignoniaceae de Argentina. *Darwiniana*. **38**: 1-10.
- Roberts, E. H. 1972. Storage environment and the control of viability. In: Roberts E. H. (ed) *Viability of Seeds*. Chapman and Hall, London. Pp. 14-58.
- Rodger, A. 1921. List of trees, Shrub and Principal Climbers, Etc. Recorded from Burma. Ed. **2**:28.

- Rolston, M. P. 1978. Water impermeable seed dormancy. *Botanical Review*. **44**: 365-396.
- Ronse, De Craene L. P. and Smets, E. 2016. Meristic changes in flowering plants: how flowers play with numbers. *Flora*. **221**: 22–37.
- Roth, A., Uhl, D., Mosbrugger, V. and Kerp, H. 2001. Evolution and function of leaf venation architecture: A review. *Annals of Botany*. **87**: 553-556.
- Rudrapal, D., Okubo, H., Uemoto, S. and Fujieda, K. 1992. Comparison of the anatomy and physiology of seeds of two varieties of winged bean (*Psophocarpus tetragonolobus*). *Scientia Horticulturae*. **51**: 13-24.
- Rury, P. M. and W. C. Dickison 1977. Leaf venation pattern of the genus *Hibbertia* (Dilleniaceae). *Journal of the Arnold Arboretum*. **58 (3)**: 209-241.
- Rusydi, A, Talip, N., Latip, J., Rahman, R. A. and Sharif, I. 2013. Morphology of trichomes in *Pogostemon cablin* Benth. (Lamiaceae). *Australian Journal of Crop Science*. **7(6)**:744-749.
- Sack, L., Scoffoni, C., McKown, A. D., Froel, K., Rawls, M., Havran, J. C., and Tran, T. 2012. Developmentally based scaling of leaf venation architecture explains global ecological patterns. *Nature Communications*. **3**: 837.
- Saikia, B., Borthakur, S. K. and Saikia, N. 2010. Medico-ethnobotany of Bodo tribals in Gohpur of Sonitpur district, Assam. *Indian Journal of Traditional Knowledge*. **9**:52-54.
- Sajem, A. L. and Gosai, K. 2006. Traditional use of medicinal plants by the Jaintia tribes in North Cachar Hills district of Assam, northeast India. *Journal of Ethnobiology and Ethnomedicine*. **2**: 33.

- Salisbury, E. J. 1927. On the causes and ecological significance of stomatal frequency with special reference to the woodland flora. *Philosophical Transaction of the Royal Society*. London B. **216**: 1-65.
- Santapau, H. and Abdulali, H. 1961. The flora of Parlakimedi. *Journal of the Bombay Natural History Society*. **58(1)**: 164.
- Santapau, H. and Henery, A. N. 1973. *A dictionary of the flowering plants in India*. CSIR, New Delhi. pp. 27.
- Sarma, B. P., Baruah, D. and Bakalial, B. 2013. Wetland medicinal plants in floodplains of Subansiri and Ranga river of Lakhimpur district, Assam, India. *Asian Journal of Plant Science and Research*. **3**: 54-60.
- Sarma, R. and Sarma, H. K. 2010. Ethnomedicines of Sonapur, Kamrup district, Assam. *Indian Journal of Traditional Knowledge*. **9**: 163-165.
- Saunders, E. R. 1939. *Floral morphology: a new outlook with special reference to the interpretation of the gynoecium*. Vol. 2. Cambridge: Heffer and Sons.
- Scharpf, R. F. and Parmeter, J. R. Jr. 1962. The collection, storage and germination of seeds of a dwarf mistletoe. *Journal of Forestry*. **60**: 551-552.
- Scheit, M. 1883. Die Tracheidensäume der Blattbündel der Coniferen mit vergleichenden Ausblicken auf die übrigen Gefäßpflanzen, besonders die Cycadeen und Gnetaceen. *Jenaische Zeitschr. Naturwiss*. **16**: 615-636.
- Schemske, D. W., Husband, B. C., Ruckelshaus, M. H., Goodwillie, C., Parker, L. M. and Bishop, J. G. 1994. Evaluating approaches to the conservation of rare and endangered plants. *Ecology*. **75**: 584-606.
- Scharpf, R. F. and Parmeter, J. R., Jr. 1962. The collection, storage and germination of seeds of a dwarf mistletoe. *Journal of Forestry*. **60**: 551-552.

- Seibert, R. J. 1948. The use of glands in a taxonomy consideration of the family Bignoniaceae.*Annals of the Missouri Botanical Garden.***35**: 123-137.
- Setyowat, I. N. 2009. The effect of seed maturity, temperature and storage period on vigor of *Picrasma javanica* Bl. Seedling. *Biodiversitas.***10(1)**: 49-53.
- Shah, G. L. and Kothari, M. 1973. On the structure of stomata and hairs and its bearing on the systematics in the tribe *Vicieae* (Papilionaceae). *Flora (Jena).* **162(6)**: 533-548.
- Shah, G. L. and Kothari, M. J. 1975. Observations on stomata and hairs on vegetative and floral organs in the tribe Trifolieae (Family Papilionaceae). *Australian Journal of Botany.***23**: 111-122.
- Sharma and Thakur, G. C. 1999. *Indigenous health practices and system of cure among the tribes of Assam plains*. In: S Sengupta: Health, Healers and Healing: Studies in Medical Anthropology. N. L. Publications, Dibrugarh. pp. 239-249.
- Sikdar, M. and Dutta, U. 2008. Traditional Phytotherapy among the Nath People of Assam. *Ethno-Medicine.* **2**: 39-45.
- Simola, L. R. 1968. Comparative studies on number of leaflets, venation and epidermal structure in genus *Lathyrus*. *Canadian Journal of Botany.***46**: 71-84
- Singh, N.P., Gajurel, P.R. and Rethy, P. 2015. International Journal of Traditional Knowledge. **14(2)**: 298-305.
- Singh, R. K., Srivastava, R. C. and Mukherjee, T. K. 2009. Community based sustainable natural resources management and development in Northeast India. *Current Science.***96**: 19–21

- Singh, S. P. 1985. Sources of cold tolerance in grain sorghum. *Canadian Journal of Plant Science*. **65**: 251-257.
- Singh, V., Jain, D. K. and Sharma, M. 1976. Leaf architecture in *Salix*. *J. Indian Botanical Society*. **57**: 369-387.
- Siregar, A. H. 1999. *Brucea javanica* (L.) Merr. Dalam: Medicinal and Poisonous Plants. **Vol I**.
- Smith, P. G. and Millet, A. H. 1964. Germinating and sprouting response of the tomato at low temperatures. *Journal of the American Society for Horticultural Science*. **84**: 480-484.
- Solereder, H. 1908. *Systematic anatomy of the dicotyledons*. Clarendon Press, Oxford.
- Sonowal, R. and Barua, I. 2011. Ethnomedicinal Practice among Tai- Khamyangs of Assam, India. *Ethno-Medicine*. **5**: 41-50.
- Souza, A., Mourao, K. S. M. and Souza, L. A. 2005. Morfologia e anatomia do fruto e da semente em desenvolvimento de *Pilocarpus pennatifolius* Lem. (Rutaceae). *Revista Brasileira de Botanica*. **28**: 745-754.
- Srinivasan, A. R. and Subramanian, C. L. 1960. A review of literature on the phanerogamous parasites. *Indian Council of Agricultural Research*. New Delhi. Pp. 96.
- Stace, C. A. 1984. The taxonomic importance of leaf surface, V. H. Heywood and D. M. Moore. Eds. *Current concepts in Plant Taxonomy* Academic Press, London. 67-94.
- Stace, C. A. 1969a. The significance of the leaf epidermis in the taxonomy of the *Combretaceae*. II. The genus *Combretum* subgenus *Combretum* in Africa. *Botanical Journal of the Linnean Society*. **62**: 131-168.

- Stace, C. A. 1969b. The significance of the leafepidermis in the taxonomy of the *Combretaceae*. III. The genus *Combretum* in America. *Brttonia*.**21**: 130-143.
- Strain, R. W. 1933. A study of vein endings in leaves. *The American Midland Naturalist*.**14**: 367-375.
- Sutarno, H., Utami, N. H. and Cardinal. 2007. Temperature Seedling *Brucea javanica* (L.) Merr.dan Physiological Response Drying Seed. *Biodiversitas*.**8(2)**: 138:140.
- Swiderska, K. 2006. Banishing the biopirates: a new approach to protecting traditional knowledge. *Gatekeeper series IIED*.**129**: 1–18.
- Szymura, M. and Wolski, K. 2011. Leaf epidermis traits as tools to identify *Solidago* L. taxa in Poland. *Acta Biologica Cracoviensia Series Botanica*.**53**: 38-46.
- Talukdar, M. 2014. Ethnomedicinal Plants used by the Sonowal Kacharis of Bhekulajan Village in Dibrugarh District, Assam, NE India. *International Research Journal of Environment Sciences*.**3**: 54-57.
- Tekin, M. and Eruygur, N. 2016. The structural studies on the medicinal plant *Haplophyllum telephiooides*. *Revista Brasileira de Farmacognosia*. **26(5)**: 544-552.
- Theobald, W. L., Krahulik, J. L. and Rollins, R. C. 1979. Trichome description and classification. In: Metcalfe, C.; Chalk, L. (eds.). *Anatomy of the dicotyledons*. Oxford University Press, Oxford. Pp. 40-53.
- Thompson, D'Arcy. 1952. *On growth and form*, second edition. Cambridge University Press. Cambridge.
- Thompson, W. P. 1912. The anatomy and relationships of Gnetales. I. The genus *Ephedra*. *Ann. Bot.* **26c**:1077-1104.

- Thorne, R. F. 1958. Some guiding principles of angiosperm phylogeny. *Brittonia*.**10**:72-77.
- Tucker, S. C. 1964. The terminal idioblasts in *Magnoliaceae* leaves. *American Journal of Botany*.**51(10)**: 1051-1062.
- Tung, M. H. T., Đuc, H. V., Huong, T. T., Duong, N. T., Phuong, D. T., Thao, D. T., Tai, B. H., Kim, Y. H., Bach, T. T. and Cuong, N. M. 2013. Cytotoxic compounds from *Brucea mollis*. *Scientia Pharmaceutica*.**81**: 819–831.
- Turner, N. J., Turner, K. L. 2007. Traditional food systems, erosion and renewal in Northwestern North America. *Indian Journal of Traditional Knowledge*, **6**:57–68.
- Vidal y Soler.1883. Sebastián.Sinopsis de familias y generous de plantas leñosas de Filipinas Atlas, xix.Pp. 68.
- Viluer, T.A 1972. Seed dormancy.In *Seed Biology* ed. T. T. Kozlowski.**2**: 219-281. New York: Academic Press.
- Vesprini, J. L., Galetto, L. and Bernardello, G. 2003.The beneficial effect of ants on the reproductive success of *Dyckia floribunda* (Bromeliaceae), an extrafloral nectary plant. *Canadian Journal of Botany*.**81**: 24-27.
- Vilhena-Potiguara, R. C., Aguiar-Dias, A. C. A., Kikuchi, T. Y. S., Santos, A. C. F. and Silva, R. J. F. 2012. Estruturas secretoras em cipó-d'alho (*Mansoa standleyi* (Steyermark.) A. H. Gentry, Bignoniaceae): ocorrência e morfologia. *Acta Amaz.***42**:321–328.
- Weiss, E. A. 1997. *Essential Oil Crops*. CAB International. New York.
- Werker, E. 2000.Trichome diversity and development. In: Hallahan, D. L. and Gray, J. C. (eds), *Advances in Botanical Research*. Academic Press, London. **31**: 1-35.

- Wight, R. 1839. *Illustrations of Indian Botany*. J. B. Pharoah. Madras. **1**:70.
- Yamasaki, E. and Sakai, S. 2013. Wind and insect pollination (ambophily) of *Mallotus* spp. (Euphorbiaceae) in tropical and temperate forests. *Australian Journal of Botany*. **61**:60–66.
- Yang, Z. R. and Lin, Q. 2005. Comparative morphology of the leaf epidermis in *Schisandra* (Schisandraceae). *Botanical Journal of the Linnean Society*. **148**: 39-56.
- Zamith, L. R. and Scarano F. R. 2004. Produção de mudas de espécies das restingas do município do Rio de Janeiro, RJ, Brasil. *Acta Botanica Brasilica*. **18**:161-176.
- Zarinkamar, F. and Sharifsadat, S. Z. 2016. Terminology of venation pattern in *Viola tricolor* Leaf architectures. *International Journal of Advance Research in Biological Science*. **3(5)**: 48-61.
- Zheng, D., Chen, J., Noormets, A., Euskirchen and Moine, J. L. 2005. Effects of climate and land use on landscape soil respiration in northern Wisconsin, USA: 1972 to 2001. *Climate Research*. **173**:16-28.
- www.efloras.org
- <http://envis.frlht.org/documents/assam-medicinal-plants-conservation.pdf>
- www.theplantlist.org, Retrieved on 29 February 2016.
- <14.139.222.145/dee/kvkdiplu/district.html>, Retrieved on 2 March 2016.